


Supplies catalog  
2026

S  
P  
E  
C  
I  
A  
L





# Directory



## Anesthesia gas

### Anesthesia gas monitoring

Ordering code	Alternative ordering code	Image	Description	Packaging	Use with	CE	FDA
451261001391	M1662A	<a href="#">View &gt;</a>	Anesthetic calibration gas (use with M1659A) Volume of gas: 6 liters Shelf life: 2 years from the date of manufacture	1 cylinder	Anesthesia gas module: G7m 866173	•	•
989803100361	13907A	<a href="#">View &gt;</a>	Calibration tube assembly	1 assembly	Anesthesia gas analyzer: G7m 866173, Microstream™ ext.: 865377	•	•
989803100841	15210-64010	<a href="#">View &gt;</a>	Gas: Cal 1 cylinders for tcpCO <sub>2</sub>	6 cylinders	Microstream™ ext.: 865377	•	•
989803100851	15210-64020	<a href="#">View &gt;</a>	Gas: Cal 2 cylinders for tcpCO <sub>2</sub>	6 cylinders	Microstream™ ext.: 865377	•	•
989803104681	M1659A	<a href="#">View &gt;</a>	Calibration bag (use with M1662A)	1 bag	Anesthesia gas module: G7m 866173	•	•
989803191081		<a href="#">View &gt;</a>	Water trap	12 water traps	G7m: 866173	•	•




451261001391  
M1662A



989803100361  
13907A



989803100841  
15210-64010



989803100851  
15210-64020



989803104681  
M1659A



989803191081



## Spirometry CO<sub>2</sub>

### IntelliVue Spirometry CO<sub>2</sub> sensors

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803144661	M2785A	Flow sensor, adult/pediatric, single-patient use ET: > 4.0 mm (0.16 in)	10 sensors	Spirometry module: 865021	•	•
989803144671	M2786A	Flow sensor, infant/neonatal, single-patient use ET: < 4.0 mm (0.16 in)	10 sensors	Spirometry module: 865021	•	•



989803144661  
M2785A



989803144671  
M2786A

# Sidestream CO<sub>2</sub> LoFlo Sidestream CO<sub>2</sub> sensor

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803144591	M2741A	Sidestream CO <sub>2</sub> sensor	1 sensor	MP5: 865024; X3: 867030; MX100: 867033; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; DFM100: 866199	•	•




989803144591  
M2741A

# Sidestream CO<sub>2</sub> LoFlo Sidestream CO<sub>2</sub> intubated

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803206711	n/a	Airway Adapter - LoFlo - ET >4.0 mm	10 sets	Sidestream LoFlo sensor: M2741A with MP5: 865024; X3: 867030; MX100: 867033; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; DFM100: 866199	•	•
989803206721	n/a	Airway Adapter - LoFlo - ET <4.0 mm	10 sets		•	•



989803206711



989803206721

# Sidestream CO<sub>2</sub> LoFlo Sidestream CO<sub>2</sub> intubated with humidification

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803206731	n/a	Airway Adapter Set H - ET >4.0 mm	10 sets	Sidestream LoFlo sensor: M2741A with MP5: 865024; X3: 867030; MX100: 867033; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; DFM100: 866199	•	•
989803206741	n/a	Airway Adapter Set H - ET <4.0 mm	10 sets		•	•



989803206731



989803206741

# Sidestream CO<sub>2</sub> LoFlo Sidestream CO<sub>2</sub> non-intubated with O<sub>2</sub> delivery

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803206641	n/a	Cannula - LoFlo - CO <sub>2</sub> /O <sub>2</sub> Nasal - Adult	10 cannulas	Sidestream LoFlo sensor: M2741A; MP5: 865024	•	•
989803206651	n/a	Cannula - LoFlo - CO <sub>2</sub> /O <sub>2</sub> Nasal - Pediatric	10 cannulas		•	•
989803206661	n/a	Cannula - LoFlo - CO <sub>2</sub> /O <sub>2</sub> Nasal - Infant	10 cannulas		•	•
989803206691	n/a	Cannula - LoFlo - CO <sub>2</sub> /O <sub>2</sub> Oral/Nasal-Adult	10 cannulas		•	•
989803206701	n/a	Cannula - LoFlo - CO <sub>2</sub> /O <sub>2</sub> Oral/Nasal-Pediatric	10 cannulas		•	•



989803206641




989803206651



989803206661



989803206691



989803206701

# Sidestream CO<sub>2</sub> LoFlo Sidestream CO<sub>2</sub> non-intubated without O<sub>2</sub> delivery

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803206611	n/a	Cannula - LoFlo - CO <sub>2</sub> Nasal - Adult	10 cannulas	Sidestream LoFlo sensor: M2741A with Capnography ext.;; MP5: 865024	•	•
989803206621	n/a	Cannula - LoFlo - CO <sub>2</sub> Nasal - Pediatric	10 cannulas		•	•
989803206631	n/a	Cannula - LoFlo - CO <sub>2</sub> Nasal - Infant	10 cannulas		•	•
989803206671	n/a	Cannula - LoFlo - CO <sub>2</sub> Oral/Nasal - Adult	10 cannulas		•	•
989803206681	n/a	Cannula - LoFlo - CO <sub>2</sub> Oral/Nasal-Pediatric	10 cannulas		•	•



989803206611



989803206621



989803206631



989803206671



989803206681

# Sidestream CO<sub>2</sub> LoFlo Sidestream CO<sub>2</sub> supplies

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803206751	n/a	Sample Line-LoFlo - w/Male Luer	10 lines	Sidestream LoFlo sensor: M2741A with Capnography ext.; MP5: 865024; X3: 867030; MX100: 867033; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; DFM100: 866199	•	•
989803206761	n/a	Sample Line-LoFlo - w/Male Luer-w/Nafion	10 lines		•	•
989803199061	n/a	LoFlo extension line, length: 1.52 m (60in)	25 lines	Sidestream LoFlo sensor:: M2741A with Capnography ext.: MP5: 865024; X3: 867030; MX100: 867033; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; DFM100: 866199		



989803206751



989803206761



989803206631

# Sidestream CO<sub>2</sub> CapnoTrak Sidestream CO<sub>2</sub> supplies

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803199011	n/a	Water filter assembly	10 pieces	CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; Heartstart Intrepid: 867172	•	
989803199021	n/a	CO <sub>2</sub> sampling extension line	25 lines		•	
989803199031	n/a	O <sub>2</sub> delivery extension line	25 lines		•	
989803199041	n/a	Dehumidification tubing	10 tubes		•	
989803199061	n/a	LoFlo extension line, length: 1.52 m (60 in)	25 lines		•	



989803199011



989803199021



989803199031



989803199041



989803199061

# Sidestream CO<sub>2</sub> CapnoTrak Sidestream CO<sub>2</sub> intubated, short-term

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803198991	n/a	CapnoTrak Sidestream CO <sub>2</sub> airway adapter set, intubated, short-term ET: > 4.0 mm (0.16 in)	25 sets	CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; Heartstart Intrepid: 867172	•	
989803199001	n/a	CapnoTrak Sidestream CO <sub>2</sub> airway adapter set, intubated, short-term ET: < 4.0 mm (0.16 in)	25 sets		•	



989803198991



989803199001

# Sidestream CO<sub>2</sub>

## CapnoTrak Sidestream CO<sub>2</sub>, non-intubated, short-term, with O<sub>2</sub> delivery

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803198921	n/a	CO <sub>2</sub> / O <sub>2</sub> nasal cannula, large	25 cannulas	CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; Heartstart Intrepid: 867172	•	
989803198931	n/a	CO <sub>2</sub> / O <sub>2</sub> nasal cannula, medium	25 cannulas		•	
989803198941	n/a	CO <sub>2</sub> / O <sub>2</sub> nasal cannula, small	25 cannulas		•	
989803198971	n/a	CO <sub>2</sub> / O <sub>2</sub> oral-nasal cannula, large	25 cannulas		•	
989803198981	n/a	CO <sub>2</sub> / O <sub>2</sub> oral-nasal cannula, medium	25 cannulas		•	



989803198921




989803198931



989803198941



989803198971



989803198981

# Sidestream CO<sub>2</sub>

## CapnoTrak Sidestream CO<sub>2</sub>, non-intubated, short-term, without O<sub>2</sub> delivery

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803198891	n/a	CO <sub>2</sub> nasal cannula, large	25 cannulas	CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; Heartstart Intrepid: 867172	•	
989803198901	n/a	CO <sub>2</sub> nasal cannula, medium	25 cannulas		•	
989803198911	n/a	CO <sub>2</sub> nasal cannula, small	25 cannulas		•	
989803198951	n/a	CO <sub>2</sub> oral-nasal cannula, large	25 cannulas		•	
989803198961	n/a	CO <sub>2</sub> oral-nasal cannula, medium	25 cannulas		•	



989803198891



989803198901



989803198911



989803198951



989803198961



## Short term use: procedure/emergency Microstream™ Advance sampling lines

Ordering code	Image	Description	Packaging	Use with	CE	FDA
<b>Non-intubated patient</b>						
989803223601	<a href="#">View &gt;</a>	Oral/nasal sampling line; samples from both the mouth and the nose; integrated O <sub>2</sub> tubing for supplemental oxygen delivery	Adult; O <sub>2</sub> male connector; standard: 2 m (6.5 ft)	25 per box	CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; CM (Brazil only): 863320; 863321; 863322; Efficia CM Microstream™ Module: 863335	•
989803223461	<a href="#">View &gt;</a>		Adult; O <sub>2</sub> male connector; long: 4 m (13 ft)	25 per box		•
989803223591	<a href="#">View &gt;</a>		Adult; O <sub>2</sub> tubing female connector; standard: 2 m (6.5 ft)	25 per box		•
989803223451	<a href="#">View &gt;</a>		Adult; O <sub>2</sub> tubing female connector; long: 4 m (13 ft)	25 per box		•
989803223391	<a href="#">View &gt;</a>	Oral/nasal sampling line; samples from both the mouth and the nose; available with or without O <sub>2</sub> delivery	Pediatric; no O <sub>2</sub> delivery; standard: 2 m (6.5 ft) no O <sub>2</sub> delivery; standard: 2 m (6.5 ft)	25 per box	IntelliVue Microstream™ Extensions 867041, M3015A, M3015B, MP5/MP5SC: M8105A, M8105AS	•
	<a href="#">View &gt;</a>		Pediatric; O <sub>2</sub> tubing female connector; standard: 2 m (6.5 ft)	25 per box		•
989803223441	<a href="#">View &gt;</a>		Pediatric; O <sub>2</sub> tubing female connector; long: 4 m (13 ft)	25 per box		•
989803223551	<a href="#">View &gt;</a>	Nasal sampling line; nasal sampling only; integrated O <sub>2</sub> tubing for supplemental oxygen delivery	Adult; O <sub>2</sub> tubing female connector; standard: 2 m (6.5 ft)	25 per box		•
989803223561	<a href="#">View &gt;</a>		Adult; O <sub>2</sub> tubing female connector; long: 4 m (13 ft)	25 per box		•
989803223571	<a href="#">View &gt;</a>		Pediatric; O <sub>2</sub> tubing female connector; standard: 2 m (6.5 ft)	25 per box		•
989803223411	<a href="#">View &gt;</a>	Nasal sampling line; nasal sampling only; no O <sub>2</sub> delivery	Adult; standard: 2 m (6.5 ft)	25 per box		•
989803223351	<a href="#">View &gt;</a>		Infant/neonate; standard: 2 m (6.5 ft)	25 per box		•
989803204601	<a href="#">View &gt;</a>		Pediatric; standard: 2 m (6.5 ft)	25 per box		•
989803223521	<a href="#">View &gt;</a>	60fr bite block sampling line; samples from both the mouth and the nose; integrated O <sub>2</sub> tubing for supplemental oxygen delivery; O <sub>2</sub> delivery system can administer oxygen flow up to 10 L/min	O <sub>2</sub> male connector; standard: 2 m (6.5 ft)	25 per box		•
989803223531	<a href="#">View &gt;</a>		O <sub>2</sub> tubing female connector; standard: 2 m (6.5 ft)	25 per box		•
989803223541	<a href="#">View &gt;</a>		O <sub>2</sub> tubing female connector; long: 4 m (13 ft)	25 per box		•
<b>Intubated patient</b>						
989803223361	<a href="#">View &gt;</a>	Intubated sampling line; for use with ETT size > 4.5 mm	Adult/pediatric; standard: 2 m (6.5 ft)	25 per box		•
989803223311	<a href="#">View &gt;</a>		Adult/pediatric; long: 4 m (13 ft)	25 per box		•



989803223601



989803223461  
989803223591  
989803223451



989803223391  
989803223581



989803223551  
989803223561  
989803223571



989803223411  
989803223351  
989803204601



989803223521  
989803223531  
989803223541



989803223361  
989803223311



## Extended duration Microstream™ Advance sampling lines

Ordering code	Image	Description	Packaging	Use with	CE	FDA		
<b>Non-intubated patient</b>								
989803223471	<a href="#">View &gt;</a>	Oral/nasal sampling line; samples from both the mouth and the nose; drier moisture reduction technology; integrated O <sub>2</sub> tubing for supplemental oxygen delivery	Adult; O <sub>2</sub> male connector; standard: 2 m (6.5 ft)	25 per box	CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; CM (Brazil only): 863320; 863321; 863322; Efficia CM Microstream™ Module: 863335	•	•	
989803223481	<a href="#">View &gt;</a>		Adult; O <sub>2</sub> male connector; long: 4 m (13 ft)	25 per box		•	•	
989803204401	<a href="#">View &gt;</a>	Adult; O <sub>2</sub> tubing female connector; standard: 2 m (6.5 ft)	25 per box	•		•		
989803204411	<a href="#">View &gt;</a>	Adult; O <sub>2</sub> tubing female connector; long: 4 m (13 ft)	25 per box	•		•		
989803223421	<a href="#">View &gt;</a>	Nasal sampling line; nasal sampling only; drier moisture reduction technology; integrated O <sub>2</sub> tubing for supplemental oxygen delivery available	Pediatric; no O <sub>2</sub> delivery; standard: 2 m (6.5 ft) no O <sub>2</sub> delivery; standard: 2 m (6.5 ft)	25 per box		IntelliVue Microstream™ Extensions 867041, M3015A, M3015B, MP5/MP5SC: M8105A, M8105AS PM6000: 867311, 867313, 867315	•	•
989803223611	<a href="#">View &gt;</a>		moisture reduction technology; integrated O <sub>2</sub> tubing for supplemental oxygen delivery available	25 per box			•	•
989803223621	<a href="#">View &gt;</a>	for supplemental oxygen delivery available	25 per box	•			•	
989803223431	<a href="#">View &gt;</a>	Adult; O <sub>2</sub> tubing female connector; standard: 2 m (6.5 ft)	25 per box	•	•			
989803223511	<a href="#">View &gt;</a>	Adult; O <sub>2</sub> tubing female connector; long: 4 m (13 ft)	25 per box	•	•			
989803223341	<a href="#">View &gt;</a>	Pediatric; O <sub>2</sub> tubing female connector; standard: 2 m (6.5 ft)	25 per box	•	•			
<b>Intubated patient</b>								
989803223371	<a href="#">View &gt;</a>	Intubated sampling line; for use with ETT > 4.5 mm; drier moisture reduction technology		25 per box	•	•		
989803223321	<a href="#">View &gt;</a>			25 per box	•	•		
989803223381	<a href="#">View &gt;</a>			25 per box	•	•		
989803223331	<a href="#">View &gt;</a>			25 per box	•	•		
989803223291	<a href="#">View &gt;</a>	Intubated sampling line; for use with ETT ≤ 4.5 mm; longer drier moisture reduction technology for high ambient humidity		25 per box	•	•		
989803223301	<a href="#">View &gt;</a>			25 per box	•	•		



989803223311



989803223471  
989803223481



989803204401



989803204411



989803223421  
989803223611  
989803223621



989803223431




989803223371  
989803223321



989803223381  
989803223331



989803223291



989803223301



## Mainstream CO<sub>2</sub> solution

Ordering code	Alternative ordering code	Image	Description	Packaging	Use with	CE	FDA
989803142651	M2501A	<a href="#">View &gt;</a>	Mainstream CO, sensor	1 sensor	Capnography ext.: 867040; MP5: 865024, 865322;	•	•
989803142661	M2533A	<a href="#">View &gt;</a>	Single-patient use adult airway adapter ET: > 4.0 mm (0.16 in)	10 adapters	X3: 867030; MX100: 867033; MMX 867036; CM10:	•	•
989803142671	M2536A	<a href="#">View &gt;</a>	Single-patient use infant airway adapter ET: <4.0 mm (0.16 in) Deadspace: < 1 cc	10 adapters	863301, 863365; CM12: 863303, 863366; CM100:	•	•
989803206591	n/a	<a href="#">View &gt;</a>	Airway Adapter-Reusable-Adult/Pediatric	1 adapter	863300; CM120: 863302; CM150: 863304; DFM100:	•	•
989803206601	n/a	<a href="#">View &gt;</a>	Airway Adapter - Reusable - Neonatal	1 adapter	866199	•	•
989803142711	n/a	<a href="#">View &gt;</a>	Verification gas	1 gas cylinder	Mainstream CO <sub>2</sub> sensor: M2501A, X3: 867030, Capnography extension 867040;	•	•



989803142651  
M2501A



989803142661  
M2533A



989803142671  
M2536A



989803206601



989803206591



989803142711

## Cardiac output

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803104611	M1642A	Cardiac output cable for use with transpulmonary thermodilution Length: 2,9m (9.5 ft)	1 cable	CM12: 863303, 863366; CM120: 863302, 863321; CM150: 863304, 863322 Hemo extension: 867039, M3012A; Capno extension: 867040; Microstream™ extension: 867041; PM6000: 867311, 867313, 867315;	•	•
989803104621	M1643A	Cardiac output cable for use with pulse contour analysis and transpulmonary thermodilution Length: 4.8 m (15.7 ft)	1 cable		•	•



989803104611  
M1642A



989803104621  
M1643A



# Electrodes

## Adult Monitoring and Stress Testing Electrodes

All electrodes and pre-wired electrodes have a minimum 6 month shelf life.


Ordering code	Image	Material	Connector	Description	Packaging	Use with	CE	FDA
<b>Wet Gel</b> Open pouch life: 7 days								
989803101671 40493D	<a href="#">View &gt;</a>	Foam	Snap	Round, diameter: 54 mm (2.13 in)	5 electrodes per pouch 60 pouches per box	Adult ECG monitoring	•	•
989803101681 40493E	<a href="#">View &gt;</a>	Foam	Snap	Round, diameter: 54 mm (2.13 in)	30 electrodes per pouch 10 pouches per box		•	•
989803105971 M2202A	<a href="#">View &gt;</a>	Foam	Snap	Teardrop, diameter: 52mm (2.05in) <a href="#">Radiolucent, suitable for x-ray use</a> <a href="#">MR conditional use</a>	5 electrodes per pouch 60 pouches per box		•	•
989803101301 40420A		High-tack foam	Snap	Rectangle, 28mm x 55mm (1.10in x 2.17in) Stress-testing	30 electrodes per pouch 10 pouches per box		•	•
989803192551	<a href="#">View &gt;</a>	Clear tape	Snap	Round, diameter: 50mm (1.97in)	30 electrodes per pouch 10 pouches per box		•	•
<b>Solid Gel</b> Open pouch life: 7 days								
989803129091 M4612A	<a href="#">View &gt;</a>	Foam	Snap	Teardrop, diameter: 50 mm (1.97 in)	5 electrodes per pouch 60 pouches per box		•	•
989803129101 M4613A	<a href="#">View &gt;</a>	Foam	Snap	Teardrop, diameter: 50 mm (1.97 in)	30 electrodes per pouch 10 pouches per box		•	•
989803148821	<a href="#">View &gt;</a>	Foam	Snap	Oval, 43mm x 36mm (1.69in x 1.42in) <a href="#">Radiolucent, suitable for x-ray use</a>	5 electrodes per card 6 cards per pouch 20 pouches per box		•	•
989803100441 13943B		Foam	Tab	Rectangle, 35mm x 22mm (1.38in x 0.87in) Resting ECG	10 electrodes per card 10 cards per pouch 10 Pouches per box		•	•



989803101671  
40493D



989803101681  
40493E



989803105971  
M2202A



989803101301  
40420A



989803192551



989803129091  
M4612A



989803129101  
M4613A



989803148821



989803100441  
13943B

# Electrodes

## Neonatal/Pediatric Monitoring Electrodes

All electrodes and pre-wired electrodes have a minimum 6 month shelf life.

Ordering code	Material	Connector	Description	Packaging	Use with	CE	FDA
<b>Solid Gel</b> Open pouch life: 45 days							
989803100491 13951C	Cloth	Snap	Rectangle, 22mm x 33mm (0.87 x 1.30in) Can be used for adult NMT monitoring	30 electrodes per pouch 10 pouches per box	Infant/pediatric ECG monitoring	•	•
989803100581 13955C	Cloth	Snap	Square, 22mm x 22mm (0.87 x 0.87in) Can be used for adult NMT monitoring	30 electrodes per pouch 10 pouches per box		•	•



989803100491 (13951C)




989803100581 (13955C)

# Electrodes


## Adult Pre-wired Electrodes - AAMI color coding

All electrodes and pre-wired electrodes have a minimum 6 month shelf life.

Ordering code	Material	Connector	Description	Packaging	Use with	CE	FDA
<b>Solid Gel</b> Open pouch life: 7 days, 1x re-positionable							
989803156201	Foam	DIN	3-lead, non-shielded Rectangle, 30mm x 45mm (1.18in x 1.77in). Wire length: 100cm (39in)	3 electrodes per pouch 100 pouches per box	Adult ECG monitoring	•	•
989803156221	Foam	DIN	3-lead, non-shielded Rectangle, 30mm x 45mm (1.18in x 1.77in). Wire length: 100cm (39in) <a href="#">Radiolucent, suitable for x-ray use.</a>	3 electrodes per pouch 100 pouches per box		•	•
989803156241	Foam	DIN	5-lead, non-shielded Rectangle, 30mm x 45mm (1.18in x 1.77in). Wire length: 100cm / (39in)	5 electrodes per pouch 60 pouches per box		•	•
989803156261	Foam	DIN	5-lead, non-shielded Rectangle, 30mm x 45mm (1.18in x 1.77in). Wire length: 100cm (39in) <a href="#">Radiolucent, suitable for x-ray use.</a>	5 electrodes per pouch 60 pouches per box		•	•



989803156201  
989803156221



989803156241  
989803156261

# Electrodes

## Neonatal/Pediatric Pre-wired Electrodes - AAMI color coding

All electrodes and pre-wired electrodes have a minimum 6 month shelf life.

Ordering code	Material	Connector	Description	Packaging	Use with	CE	FDA
<b>Solid Gel</b> Open pouch life 45 days							
989803100501 13952A	Cloth	DIN	3-lead, non-shielded Rectangle, 22mm x 33mm (0.87in x 1.30in). Wire length: 46cm (18in)	3 electrodes per pouch 100 pouches per box	Infant/pediatric ECG monitoring		•
989803100511 13952B	Cloth	DIN	3-lead, non-shielded Rectangle, 22mm x 33mm (0.87in x 1.30in). Wire length: 46cm (18in). <a href="#">Radiolucent, suitable for x-ray use</a>	3 electrodes per pouch 100 pouches per box			•
989803100541 13953A	Cloth	DIN	3-lead, non-shielded Square, 22mm x 22mm (0.87in x 0.87in). Wire length: 46cm (18in)	3 electrodes per pouch 100 pouches per box			•
989803100551 13953B	Cloth	DIN	3-lead, non-shielded Square, 22mm x 22mm (0.87in x 0.87in). Wire length: 46cm (18in). <a href="#">Radiolucent, suitable for x-ray use</a>	3 electrodes per pouch 100 pouches per box			•



989803100501 (13952A)  
989803100511 (13952B)




989803100541 (13953A)  
989803100551 (13953B)

# Electrodes


## Neonatal/Pediatric Neolead Pre-wired Electrodes - AAMI color coding

All electrodes and pre-wired electrodes have a minimum 6 month shelf life.


Ordering code	Material	Connector	Description	Packaging	Use with	CE	FDA
<b>Hydrocolloid and Hydrogel</b> Open pouch life: 7 days. 5 day wear time							
989803183081	Cloth	DIN	3-lead, non-shielded, Mini Neolead Round, diameter: 19mm (0.75in). Wire length: 60cm (24in)	3 electrodes per pouch 50 pouches per box	Infant/pediatric ECG monitoring		•
989803183101	Cloth	DIN	3-lead, non-shielded, Round, diameter: 25mm (1in), wire length: 60cm (24in)	3 electrodes per pouch 50 pouches per box			•
989803183121	Cloth	DIN	3-lead, non-shielded, Round, diameter: 25mm (1in), wire length: 60cm (24in) <a href="#">Radiolucent, suitable for x-ray use</a>	3 electrodes per pouch 50 pouches per box			•
989803183141	Cloth	DIN	3-lead, non-shielded, Micro Neolead Rectangle, size: 25mm x 9.5mm (1in x 0.37in), wire length: 60cm (24in) <a href="#">Radiolucent, suitable for x-ray use</a>	3 electrodes per pouch 50 pouches per box			•




989803183081



989803183101



989803183121




989803183141

# Electrodes


## Adult Pre-wired Electrodes - IEC color coding

All electrodes and pre-wired electrodes have a minimum 6 month shelf life.

Ordering code	Material	Connector	Description	Packaging	Use with	CE	FDA
<b>Solid Gel</b> Open pouch life: 7 days. 1-time re-positionable							
989803156231	Foam	DIN	3-lead, non-shielded Rectangle, 30mm x 45mm (1.18in x 1.77in). Wire length: 100cm (39in)	3 electrodes per pouch 100 pouches per box	Adult ECG monitoring: IntelliVue	•	
989803156271	Foam	DIN	5-lead, non-shielded Rectangle, 30mm x 45mm (1.18in x 1.77in). Wire length: 100cm (39in)	5 electrodes per pouch 60 pouches per box		•	



989803156231




989803156271

# Electrodes

## Neonatal/Pediatric Pre-wired Electrodes - IEC color coding

All electrodes and pre-wired electrodes have a minimum 6 month shelf life.


Ordering code	Material	Connector	Description	Packaging	Use with	CE	FDA
<b>Solid Gel</b> Open pouch life: 45 days							
989803100521 13952D	Cloth	DIN	3-lead, non-shielded Rectangle, 22mm x 33mm (0.87in x 1.30in). Wire length: 46cm (18in)	3 electrodes per pouch 100 pouches per box	infant/pediatric ECG monitoring	•	•
989803100561 13953D	Cloth	DIN	3-lead, non-shielded Square, 22mm x 22mm (0.87in x 0.87in). Wire length: 46cm (18in).	3 electrodes per pouch 100 pouches per box		•	•
989803100571 13953E	Cloth	DIN	3-lead, non-shielded Square, 22mm x 22mm (0.87in x 0.87in). Wire length: 46cm (18in) <i>Radiolucent, suitable for x-ray use</i>	3 electrodes per pouch 100 pouches per box		•	•



989803100521  
13952D



989803100561  
13953D



989803100571  
13953E



## Bedside Lead Sets

### 3-lead monitoring - AAMI color coding

Ordering code	Image	Description	Reusable/ Disposable	Packaging	Use with	CE	FDA
<b>Limb leads</b>							
989803145091 M1671A	<a href="#">View &gt;</a>	3-lead Grabber, Length: 1 m (3.3 ft)	Reusable	1 each	MP5: 865024; MMS: 862392; X3: 867030; MMX: 867033; PM6000: 867311, 867313, 867315; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; DFM100:866199;	•	•
989803145111 M1673A	<a href="#">View &gt;</a>	3-lead Snap Length 1 m (3.3 ft)	Reusable	1 each		•	•
989803144941 M1624A	<a href="#">View &gt;</a>	3L Mini-clip, Unshielded, Grabber, Length 0.7 m (2.3 ft)	Reusable	1 each		•	•
989803145131 M1675A	<a href="#">View &gt;</a>	3-lead Grabber, <b>OR</b> - for use in operating room, Length: 1 m (3.3 ft)	Reusable	1 each		•	•
989803173121	<a href="#">View &gt;</a>	3-lead Grabber Length: 1 m (3.3 ft)	Disposable	20 each		•	•



989803145091  
M1671A



989803145111  
M1673A



989803144941  
M1624A



989803145131  
M1675A



989803173121




## Bedside Lead Sets


### 5-lead monitoring - AAMI color coding

Ordering code	Image	Description	Reusable/ Disposable	Packaging	Use with	CE	FDA
<b>Limb leads</b>							
989803125841 M1968A	<a href="#">View &gt;</a>	5-lead Grabber Length: limb 1m (3.3ft) / chest 1.6m (5.3ft)	Reusable	1 each	MP5: 865024; MMS: 862392; X3: 867030; MMX: 867033; PM6000: 867311, 867313, 867315; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; DFM100:866199;	•	•
989803144991 M1644A	<a href="#">View &gt;</a>	5-lead Snap Length: limb 1m (3.3ft) / chest 1.6m (5.3ft)	Reusable	1 each		•	•
989803125861 M1973A	<a href="#">View &gt;</a>	5-lead Grabber, <b>OR</b> - for use in operating room Length: limb 1m (3.3ft) / chest 1.6m (5.3ft)	Reusable	1 each		•	•
989803173131	<a href="#">View &gt;</a>	5-lead Grabber Length: limb 1m (3.3ft)	Disposable	20 each		•	•
989803173151	<a href="#">View &gt;</a>	5-lead Grabber with shower shield Length: limb 1m (3.3ft)	Disposable	20 each		TRx4851A: 862231; TRx4841A: 862439	•
<b>Chest leads</b>							
989803125881 M1976A	<a href="#">View &gt;</a>	5-lead Grabber Length: 1m (3.3ft)	Reusable	1 each	•	•	
989803144911 M1602A	<a href="#">View &gt;</a>	5-lead Snap Length: 1m (3.3ft)	Reusable	1 each	•	•	
989803125901 M1979A	<a href="#">View &gt;</a>	5-lead Grabber, <b>OR</b> - for use in operating room Length: 1m (3.3ft)	Reusable	1 each	•	•	
989803192141	<a href="#">View &gt;</a>	5-lead Grabber Length: 1m (3.3ft)	Disposable	20 each	•	•	


**Note: 10-lead monitoring (5+5) requires one limb lead and one chest lead.**



989803125841  
M1968A



989803144991  
M1644A



989803125861  
M1973A



989803173131



989803173151



989803125881  
M1976A



989803144911  
M1602A



989803125901  
M1979A




989803192141

## Bedside Lead Sets

### 6-lead monitoring - AAMI color coding

Ordering code	Description	Reusable/ Disposable	Packaging	Use with	CE	FDA
<b>Limb leads</b>						
989803145161 M1680A	6-lead Grabber Length: limb 1 m (3.3 ft), chest 1.6 m (5.3 ft)	Reusable	1 each	MP5: 865024; MMS: 862392; X3: 867030; MMX: 867033; PM6000: 867311, 867313, 867315; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; DFM100:866199;	•	•
989803197511	6-lead Grabber Length: 1 m (3.3 ft)	Disposable	20 each		•	•
<b>Chest leads</b>						
989803144841 M1532A	4-lead Grabber Length: 1m (3.3ft) Must be ordered in pairs with 989803145161 (M1680A)	Reusable	1 each			

**Note: 10-lead monitoring (6+4) requires one 6-lead limb and one 4-lead chest.**



989803145161  
M1680A



989803197511




989803144841  
M1532A



## Bedside Lead Sets

### 3-lead monitoring - IEC color coding


Ordering code	Image	Description	Reusable/ Disposable	Packaging	Use with	CE	FDA
<b>Limb leads</b>							
989803145101 M1672A	<a href="#">View &gt;</a>	3-lead Grabber Length: 1 m (3.3 ft)	Reusable	1 each	MP5: 865024; MMS: 862392; X3: 867030; MMX: 867033; PM6000: 867311, 867313, 867315; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; DFM100:866199;	•	
989803145121 M1674A	<a href="#">View &gt;</a>	3-lead Snap Length: 1 m (3.3 ft)	Reusable	1 each		•	
989803144951 M1626A	<a href="#">View &gt;</a>	3-lead Miniclip, Unshielded, Grabber Length 0.7 m (2.3 ft)	Reusable	1 each		•	
989803145141 M1678A	<a href="#">View &gt;</a>	3-lead Grabber, <b>OR</b> - for use in operating room Length: 1 m (3.3 ft)	Reusable	1 each		•	
989803174201	<a href="#">View &gt;</a>	3-lead Grabber Length: 1 m (3.3 ft)	Disposable	20 each		•	



989803145101  
M1672A



989803145121  
M1674A



989803144951  
M1626A



989803145141  
M1678A



989803174201




## Bedside Lead Sets


### 5-lead monitoring - IEC color coding

Ordering code	Image	Description	Reusable/ Disposable	Packaging	Use with	CE	FDA
<b>Limb leads</b>							
989803125851 M1971A	<a href="#">View &gt;</a>	5-lead Grabber Length: limb 1m (3.3ft) / chest 1.6m (5.3ft)	Reusable	1 each	MP5: 865024; MMS: 862392; X3: 867030; MMX: 867033; PM6000: 867311, 867313, 867315; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; DFM100:866199;	•	
989803145001 M1645A	<a href="#">View &gt;</a>	5-lead Snap Length: limb 1m (3.3ft) / chest 1.6m (5.3ft)	Reusable	1 each		•	
989803125871 M1974A	<a href="#">View &gt;</a>	5-lead Grabber, <b>OR</b> - for use in operating room Length: limb 1m (3.3ft) / chest 1.6m (5.3ft)	Reusable	1 each		•	
989803174211	<a href="#">View &gt;</a>	5-lead Grabber Length: limb 1m (3.3ft)	Disposable	20 each		•	
<b>Chest leads</b>							
989803125891 M1978A		5-lead Grabber Length: 1m (3.3ft)	Reusable	1 each			
989803192151		5-lead Grabber Length: 1m (3.3ft)	Disposable	20 each			


**Note: 10-lead monitoring (5+5) requires one limb lead and one chest lead**



989803125851  
M1971A



989803145001  
M1645A




989803125871  
M1974A



989803174211



989803125851  
M1971A




989803145001  
M1645A

## Bedside Lead Sets

### 6-lead monitoring - IEC color coding

Ordering code	Description	Reusable/ Disposable	Packaging	Use with	CE	FDA
<b>Limb leads</b>						
989803145171 M1681A	6-lead Grabber Length: limb 1 m (3.3 ft), chest 1.6 m (5.3 ft)	Reusable	1 each	MP5: 865024; MMS: 862392; X3: 867030; MMX: 867033; PM6000: 867311, 867313, 867315; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; DFM100:866199;	•	
989803197521	6-lead Grabber Length: 1 m (3.3 ft)	Disposable	20 each		•	
<b>Chest leads</b>						
989803144851 M1533A	4-lead Grabber Length: 1m (3.3ft) Must be ordered in pairs with 989803145171 (M1681A)	Reusable	1 each		•	

**Note: 10-lead monitoring (6+4) requires one limb lead and one chest lead**



989803145171  
M1681A



989803197521



989803197521



## Telemetry Lead Sets

### Telemetry Lead Sets – AAMI color coding

Ordering code	Image	Description	Reusable/ Disposable	Packaging	Use with	CE	FDA
<b>3-lead</b>					MX40: 865350, 865351, 865352		
989803171811	<a href="#">View &gt;</a>	3-lead Grabber + FAST SpO <sub>2</sub> connector Length: 85cm (34in)	Reusable	1 each		•	•
<b>5-lead</b>							
989803171821	<a href="#">View &gt;</a>	5-lead Snap Length: 85cm (34in)	Reusable	1 each		•	•
989803171831	<a href="#">View &gt;</a>	5-lead Grabber Length: 85cm (34in)	Reusable	1 each		•	•
989803171841	<a href="#">View &gt;</a>	5-lead Snap + FAST SpO <sub>2</sub> connector Length: 85cm (34in)	Reusable	1 each		•	•
989803171851	<a href="#">View &gt;</a>	5-lead Grabber + FAST SpO <sub>2</sub> connector Length: 85cm (34in)	Reusable	1 each		•	•
989803172031	<a href="#">View &gt;</a>	5-lead Grabber Length: 85cm (34in)	Disposable	20 each		•	•
989803172051	<a href="#">View &gt;</a>	5-lead Grabber + FAST SpO <sub>2</sub> sensor Length: 85cm (34in)	Disposable	20 each		•	•
989803202411	<a href="#">View &gt;</a>	5-lead Grabber + Masimo SET® SpO <sub>2</sub> connector Length: 85cm (34in)	Reusable	1 each		•	•
<b>6-lead</b>							
989803171861		6-lead Grabber Length: 85cm (34in)	Reusable	1 each		•	•
989803171871	<a href="#">View &gt;</a>	6-lead Grabber + FAST SpO <sub>2</sub> connector Length: 85cm (34in)	Reusable	1 each		•	•



989803171811



989803171821



989803171831



989803171841



989803171851



989803171871



989803172031



989803172051



989803202411

# Telemetry Lead Sets

## Telemetry Lead Sets – IEC color coding

Ordering code	Description	Reusable/ Disposable	Packaging	Use with	CE	FDA
<b>3-lead</b>						
989803171911	3-lead Grabber + FAST SpO <sub>2</sub> connector Length: 85cm (34in)	Reusable	1 each	MX40: 865350, 865351, 865352, M6000: 867311, 867313, 867315	•	
<b>5-lead</b>						
989803171931	5-lead Grabber Length: 85cm (34in)	Reusable	1 each		•	
989803171951	5-lead Grabber + FAST SpO <sub>2</sub> connector Length: 85cm (34in)	Reusable	1 each		•	
989803202421	5-lead Grabber + Masimo SET® SpO <sub>2</sub> connector Length: 85cm (34in)	Reusable	1 each			
989803172151	5-lead Grabber + FAST SpO <sub>2</sub> sensor Length: 85cm (34in)	Disposable	20 each		•	
<b>6-lead</b>						
989803171971	6-lead Grabber + FAST SpO <sub>2</sub> connector Length: 85cm (34in)	Reusable	1 each		•	



989803171911



989803171931



989803171951



989803202421



989803171971




989803172151



# ECG Trunk Cables

Ordering code	Image	Description	Reusable/ Disposable	Packaging	Use with	CE	FDA
<b>3-lead</b>							
989803145071 M1669A	<a href="#">View &gt;</a>	3-lead ECG trunk cable, 12-pin connector, AAMI and IEC Length: 2.7m (9.9ft)	Reusable	1 cable	MP5: 865024; MMS: 862392, 862442; X3: 867030; MX100: 8617033; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; DFM100: 866199	•	•
989803170171	<a href="#">View &gt;</a>	3-lead <b>OR</b> ECG trunk cable, 12-pin connector, AAMI and IEC Length: 2.7m (9.9ft)	Reusable	1 cable		•	•
<b>5-lead</b>							
989803145061 M1668A	<a href="#">View &gt;</a>	5-lead ECG trunk cable, 12-pin connector, AAMI and IEC Length: 2.7m (9.9ft)	Reusable	1 cable		•	•
989803170181	<a href="#">View &gt;</a>	5-lead <b>OR</b> ECG trunk cable, 12-pin connector, AAMI and IEC Length: 2.7m (9.9ft)	Reusable	1 cable		•	•
<b>6-lead</b>							
989803145051 M1667A	<a href="#">View &gt;</a>	6-lead ECG trunk cable, 12-pin connector, AAMI and IEC Length: 2.7m (9.9ft)	Reusable	1 cable		•	•
<b>10-lead</b>							
989803125831 M1949A	<a href="#">View &gt;</a>	10-lead ECG trunk cable (5-lead limb + 5-lead chest) 12-pin connector, AAMI and IEC Length: 2.7m (9.9ft)	Reusable	1 cable		•	•
989803144791 M1663A	<a href="#">View &gt;</a>	10-lead ECG trunk cable (5-lead limb + 5-lead chest) 12-pin connector, AAMI and IEC Length: 2 m (6.5 ft)	Reusable	1 cable		•	•
989803145041 M1665A	<a href="#">View &gt;</a>	10-lead ECG trunk cable (6-lead limb + 4-lead chest) 12-pin connector, AAMI and IEC Length: 2.7m (9.9ft)	Reusable	1 cable		•	•
<b>Telemetry</b>							
989803172221	<a href="#">View &gt;</a>	Telemetry ECG trunk cable, AAMI and IEC Length: 2.7m (9.9ft)	Reusable	1 cable	PM 6000: 867311, 867313, 867315; MP5: 865024	•	•

# ECG Trunk Cables



989803145071  
M1669A



989803170171



989803145061  
M1668A



989803170181



989803145051  
M1667A



989803125831  
M1949A



989803144791  
M1663A



989803145041  
M1665A



989803172221



## Telemetry Adapters

Ordering code	Alternative ordering code	Image	Description	Packaging	Use with	CE	FDA
<b>Telemetry FAST SpO<sub>2</sub></b>							
989803199081		<a href="#">View &gt;</a>	Telemetry adapter, SpO <sub>2</sub> only	1 each	MX40: 865350, 865351, 865352	•	•
989803199101		<a href="#">View &gt;</a>	Telemetry adapter, 3-lead + FAST SpO <sub>2</sub> connector	1 each		•	•
989803199091		<a href="#">View &gt;</a>	Telemetry adapter, 5-lead + FAST SpO <sub>2</sub> connector	1 each		•	•
989803199071		<a href="#">View &gt;</a>	Telemetry adapter, 6-lead + FAST SpO <sub>2</sub> connector	1 each		•	•
<b>Telemetry Masimo SET® SpO<sub>2</sub></b>							
989803202391		<a href="#">View &gt;</a>	Adapter Masimo SET® SpO <sub>2</sub> -only	1 each	MX40: 865350, 865351, 865352	•	•
989803202381		<a href="#">View &gt;</a>	Adapter 5-lead + Masimo SET® SpO <sub>2</sub> connector	1 each		•	•
989803204291		<a href="#">View &gt;</a>	Adapter 6-lead + Masimo SET® SpO <sub>2</sub> connector	1 each		•	•



989803199081



989803199101



989803199091



989803199071



989803202391



989803202381



989803204291



## Competitive ECG Trunk Cable Adapters (Non-Philips monitors)

### Space Lab Ultra ECG Adapters

Set	Philips Reorder Code	Image	Description	Reusable/disposable	Monitor connectivity	CE FDA
3-lead	989803211121	<a href="#">View &gt;</a>	Spacelabs Ultra-Philips	Reusable	UltraView SL	•
5-lead	989803211131	<a href="#">View &gt;</a>	Spacelabs Ultra-Philips	Reusable	UltraView SL	•

### Mindray Pano ECG Adapters

Set	Philips Reorder Code	Image	Description	Reusable/disposable	Monitor connectivity	CE FDA
3-lead	989803211141	<a href="#">View &gt;</a>	Mindray Pano-Philips	Reusable	Panorama	•
5-lead	989803211151	<a href="#">View &gt;</a>	Mindray Bene/Pass-Philips	Reusable	Beneview/Passport	•

### Nihon Kohden ECG Adapters

Set	Philips Reorder Code	Image	Description	Reusable/disposable	Monitor connectivity	CE FDA
3-lead	989803211161	<a href="#">View &gt;</a>	Nihon Kohden-Philips	Reusable	Lifescop/BSM Series	•
6-lead	989803211171	<a href="#">View &gt;</a>	Nihon Kohden-Philips	Reusable	Lifescop/BSM Series	•

### GE-Philips ECG Adapters

Set	Philips Reorder Code	Image	Description	Reusable/disposable	Monitor connectivity	CE FDA
3-lead	989803211081	<a href="#">View &gt;</a>	GE-Philips	Reusable	CareScape B Series	•
5-lead	989803211091	<a href="#">View &gt;</a>	GE-Philips	Reusable	CareScape B Series / MAC 3500, 2000, 800, 600 ECG carts	•
5-lead	989803211111	<a href="#">View &gt;</a>	GE Apex Pro FH-Philips	Reusable	Apex Pro FH Telemetry	•
12-lead	989803211101	<a href="#">View &gt;</a>	GE-Philips	Reusable	CareScape B Series	•



989803211121



989803211131



989803211141



989803211151



989803211161



989803211171



989803211081



989803211091



989803211111



989803211101

# Cables and leads

## Efficia

### 3-lead sets

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803160651		Grabber, limb leads, AAMI, reusable	1 each	CM10: 863301, 863365; CM12: 863303, 863366;	•	
989803160661		Grabber, limb leads, IEC, reusable	1 each	CM100: 863300, 863320; CM120: 863302, 863321; CM150: 863304, 863322, PM6000: 867311, 867313, 867315	•	

### 5-lead sets

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803160691		Grabber, limb leads, AAMI, reusable	1 each	CM10: 863301, 863365; CM12: 863303, 863366;	•	
989803160701		Grabber, limb leads, IEC; reusable	1 each	CM100: 863300, 863320; CM120: 863302, 863321; CM150: 863304, 863322, PM6000: 867311, 867313, 867315	•	

### 3/5-lead sets

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803160641		3/5 leads ECG trunk cable, AAMI/IEC, reusable	1 each	CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300, 863320; CM120: 863302, 863321; CM150: 863304, 863322, PM6000: 867311, 867313, 867315	•	




989803160651



989803160661



989803160691



989803160701



989803160641

# Electrodes

## Single-patient use pediatric EEG monitoring electrodes

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803100491	13951C	Disposable, repositionable solid gel electrode, snap 3 electrodes mounted on plastic card Shelf life: 6 months, dimensions: 22 x 33 mm (0.87 x 1.30 in)	3 electrodes/pouch 100 pouches/box (300 electrodes/ box)	EEG module: 866078	•	•
989803100581	13955C	Disposable, repositionable solid gel electrode, snap 3 electrodes mounted on plastic card Shelf life: 6 months, dimensions: 22 x 22 mm (0.87 x 0.87 in)	3 electrodes/pouch 100 pouches/box (300 electrodes/ box)		•	•




989803100491  
13951C




989803100581  
13955C

## EEG supplies

Ordering code	Alternative ordering code	Image	Description	Packaging	Use with	CE	FDA
989803105621	M1931A		5-lead EEG adult cup electrode set, reusable, length: 80 cm (31.5 in)	1 leadset	EEG module: 866078	•	•
989803105631	M1932A		5-lead EEG pediatric cup electrode set, reusable, length 80 cm (31.5 in)	1 leadset		•	•
989803105641	M1934A		5-lead EEG miniclip lead set, reusable, length: 80 cm (31.5 in)	1 leadset		•	•
989803106091	M2268A		5-lead trunk cable, reusable, length: 2.7 m (8.8 ft)	1 cable		•	•
989803180521			9-lead EEG infant and pediatric cup electrode set, reusable, length: 80 cm (31.5 in)	1 leadset		•	•
989803180531		<a href="#">View &gt;</a>	9-lead EEG miniclip lead set, reusable, length: 80 cm (31.5 in)	1 leadset		•	•
989803180541		<a href="#">View &gt;</a>	4-channel trunk cable, reusable, length: 2.7 m (8.8 ft)	1 cable		•	•
989803180561		<a href="#">View &gt;</a>	9-lead EEG adult cup electrode set, reusable, length: 80 cm (31.5 in)	1 leadset		•	•



989803105621  
M1931A



989803105631  
M1932A



989803105641  
M1934A



989803106091  
M2268A



989803180521

Not all products are available in all geographies. Please check with your Philips representative on portfolio availability in your geography. Column headers ("CE" and "FDA") only indicate country availability (i.e. CE-dependent, FDA-dependent, or non-regulated markets) and are not intended to represent FDA approval



989803180531



989803180541



989803180561

## IntelliVue NMT

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803174581	n/a	Patient cable with 12-pin instrument connector, reusable, length: 3.0 m (9.8 ft)	1 each	NMT module: 865383	•	•
989803199211	n/a	IntelliVue NMT hand adapter	10 pieces/box		•	•



989803174581



989803199211



# Reusable Cuffs

## Easy Care Cuff

Philips reorder code	Size	Description	Packaging	Color	CE	FDA
989803147841 M4552B	Infant	Bladder length: 15 cm (5.9 in), bladder width: 5.5 cm (2.2 in) Limb circumference: 10-15 cm (3.9-5.9 in)	1 cuff	Orange	•	•
989803147851 M4553B	Pediatric	Bladder length: 21.5 cm (8.5 in), bladder width: 8 cm (3.1 in) Limb circumference: 14-21.5 cm (5.5-8.5 in)	1 cuff	Green	•	•
989803147861 M4554B	Small adult	Bladder length: 24 cm (9.4 in), bladder width: 10.6 cm (4.2 in) Limb circumference: 20.5-28.5 cm (8-11.2 in)	1 cuff	Light blue	•	•
989803147871 M4555B	Adult	Bladder length: 30 cm (11.8 in), bladder width: 13.5 cm (5.3 in) Limb circumference: 27.5-36 cm (10.8-14.1 in)	1 cuff	Navy blue	•	•
989803147881 M4556B	Adult extra-long*	Bladder length: 30 cm (11.8 in), bladder width: 13.5 cm (5.3 in) Limb circumference: 27.5-36 cm (10.8-14.1 in)	1 cuff	Navy blue	•	•
989803147891 M4557B	Large adult	Bladder length: 38 cm (15 in), bladder width: 17 cm (6.7 in) Limb circumference: 35-45 cm (13.7-17.7 in)	1 cuff	Burgundy	•	•
989803147901 M4558B	Large adult extra-long**	Bladder length: 38 cm (15 in), bladder width: 17 cm (6.7 in) Limb circumference: 35-45 cm (13.7-17.7 in)	1 cuff	Burgundy	•	•
989803147911 M4559B	Thigh	Bladder length: 48 cm (18.9 in), bladder width: 21 cm (8.3 in) Limb circumference: 44-56 cm (17.3-22 in)	1 cuff	Grey	•	•

Accuracy of extra-long cuffs is dependent on proper application according to cuff labeling.

\* 26.0in. (66.0cm) total cuff length

\*\* 32.9in. (83.5cm) total cuff length



989803147841  
M4552B

989803147851  
M4553B

989803147861  
M4554B

989803147871  
M4555B

989803147881  
M4556B

989803147891  
M4557B

989803147901  
M4558B

989803147911  
M4559B

Not all products are available in all geographies. Please check with your Philips representative on portfolio availability in your geography. Column headers ("CE" and "FDA") only indicate country availability (i.e. CE-dependent, FDA-dependent, or non-regulated markets) and are not intended to represent FDA approval

## Disposable Cuffs

### Gentle Care Cuffs

Philips reorder code	Size	Description	Packaging	Color	CE	FDA
989803148001 M4572B	Infant	Bladder length: 15 cm (5.9 in), bladder width: 5.5 cm (2.2 in), limb circumference: 10-15 cm (3.9-5.9 in)	10 cuffs	Orange	•	•
989803148011 M4573B	Pediatric	Bladder length: 21.5 cm (8.5 in), bladder width: 8 cm (3.1 in), limb circumference: 14-21.5 cm (5.5-8.5 in)	10 cuffs	Green	•	•
989803148021 M4574B	Small adult	Bladder length: 24 cm (9.4 in), bladder width: 10.6 cm (4.2 in), limb circumference: 20.5-28.5 cm (8-11.2 in)	10 cuffs	Light blue	•	•
989803148031 M4575B	Adult	Bladder length: 30 cm (11.8 in), bladder width: 13.5 cm (5.3 in), limb circumference: 27.5-36 cm (10.8-14.1 in)	10 cuffs	Navy blue	•	•
989803148041 M4576B	Adult extra-long*	Bladder length: 30 cm (11.8 in), bladder width: 13.5 cm (5.3 in), limb circumference: 27.5-36 cm (10.8-14.1 in)	10 cuffs	White/navy with striping	•	•
989803148051 M4577B	Large adult	Bladder length: 38 cm (15 in), bladder width: 17 cm (6.7 in), limb circumference: 35-45 cm (13.7-17.7 in)	10 cuffs	Burgundy	•	•
989803148061 M4578B	Large adult extra-long**	Bladder length: 38 cm (15 in), bladder width: 17 cm (6.7 in), limb circumference: 35-45 cm (13.7-17.7 in)	10 cuffs	Burgundy with striping	•	•

Accuracy of extra-long cuffs is dependent on proper application according to cuff labeling.

\* 26.0in. (66.0cm) total cuff length

\*\* 32.9in. (83.5cm) total cuff length



# Neonatal Cuffs

## Soft neonatal/infant cuffs

Philips reorder code	Size	Description	Packaging	Color	CE	FDA
989803167231 M1866S	#1	Neonatal cuff, Limb circumference: 3.1-5.7 cm (1.2-2.2 in)	40 cuffs	Orange	•	•
989803167241 M1868S	#2	Neonatal cuff, Limb circumference: 4.3-8.0 cm (1.7-3.1 in)	40 cuffs	Light blue	•	•
989803167251 M1870S	#3	Neonatal cuff, Limb circumference: 5.8-10.9 cm (2.2-4.3 in)	40 cuffs	Green	•	•
989803167261 M1872S	#4	Neonatal cuff, Limb circumference: 7.1-13.1 cm (2.8-5.5 in)	40 cuffs	Navy blue	•	•
989803167271 M1873S	#5	Infant cuff, Limb circumference: 10-15 cm (3.9-5.9 in)	40 cuffs	Burgundy	•	•
989803167551		NiBP Kit Packaging 50 cuffs, consists of: 5x M1866S, 10x M1868S, 20x M1870S, 10x M1872S, 5x M1873S	50 cuffs	Various	•	•



989803167231  
M1866S



989803167241  
M1868S



989803167251  
M1870S



989803167261  
M1872S



989803167271  
M1873S



989803167551

Not all products are available in all geographies. Please check with your Philips representative on portfolio availability in your geography. Column headers ("CE" and "FDA") only indicate country availability (i.e. CE-dependent, FDA-dependent, or non-regulated markets) and are not intended to represent FDA approval

# Neonatal Cuffs

## Vinyl neonatal/infant cuffs

Philips reorder code	Size	Description	Packaging	Color	CE	FDA
989803167181 M1866B	#1	Neonatal cuff, Limb circumference: 3.1-5.7 cm (1.2-2.2 in)	40 cuffs	Orange	•	•
989803167191 M1868B	#2	Neonatal cuff, Limb circumference: 4.3-8.0 cm (1.7-3.1 in)	40 cuffs	Light blue	•	•
989803167201 M1870B	#3	Neonatal cuff, Limb circumference: 5.8-10.9 cm (2.2-4.3 in)	40 cuffs	Green	•	•
989803167211 M1872B	#4	Neonatal cuff, Limb circumference: 7.1-13.1 cm (2.8-5.5 in)	40 cuffs	Navy blue	•	•
989803167221 M1873B	#5	Infant cuff, Limb circumference: 10-15 cm (3.9-5.9 in)	40 cuffs	Burgundy	•	•
989803167541		NiBP Kit Packaging 50 cuffs, consists of: 5x M1866B, 10x M1868B, 20x M1870B, 10x M1872S, 5x M1873B	50 cuffs	Various	•	•



# Air Hoses

## Adult/Neonatal NIBP Air Hose 5mm

Philips reorder code	Description	Packaging	CE	FDA
989803209761	Adult NiBP air hose Length: 1.5 m (4.92 ft)	1 hose	•	•
989803209771	Adult NiBP air hose Length: 3.0 m (9.8 ft)	1 hose	•	•
989803209741	Neonate NiBP air hose Length: 1.5 m (4.92 ft)	1 hose	•	•
989803209751	Neonate NiBP air hose Length: 3.0 m (9.8 ft)	1 hose	•	•



989803209761



989803209771



989803209741



989803209751



# Air Hoses

## Adult/Neonatal NIBP Air Hose 6mm

Philips reorder code	Description	Packaging	CE	FDA
989803104331 M1598B	Adult NiBP air hose Length: 1.5 m (4.92 ft)	1 hose	•	•
989803104341 M1599B	Adult NiBP air hose Length: 3.0 m (9.8 ft)	1 hose	•	•
989803166851 M1596C	Neonate NiBP air hose Length: 1.5 m (4.92 ft)	1 hose	•	•
989803166861 M1597C	Neonate NiBP air hose Length: 3.0 m (9.8 ft)	1 hose	•	•



989803104331  
M1598B



989803104341  
M1599B



989803166851  
M1596C



989803166861  
M1597C

Not all products are available in all geographies. Please check with your Philips representative on portfolio availability in your geography. Column headers ("CE" and "FDA") only indicate country availability (i.e. CE-dependent, FDA-dependent, or non-regulated markets) and are not intended to represent FDA approval



## Conversion kit

### New ISO 80369-1 Compliant NBP Inlet Conversion Kits

Philips reorder code	Description	Packaging	Use with	CE	FDA
989803217001	NBP inlet 5 mm	5 each	Compatible with all monitors except X3, MX100, MMX	•	•
989803217011	NBP inlet 5 mm	50 each	Compatible with all monitors except X3, MX100, MMX	•	•
989803217021	NBP inlet covered 5 mm	5 each	Compatible with X3, MX100, MMX	•	•
989803217031	NBP inlet covered 5 mm	50 each	Compatible with X3, MX100, MMX	•	•



989803217001  
 989803217011  
 989803217021  
 989803217031



## Reusable invasive blood pressure

Ordering code	Alternative ordering code	Image	Description	Packaging	Use with	CE	FDA
989803102481	CPJ84022	<a href="#">View &gt;</a>	Single-use sterile domes	50 domes	CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304; X3: 867030; MX100: 867033; MMX: 867036; Hemodynamic ext.: 862111, 867039; Capnography ext.: 867040; Microstream™ ext.: 867041 865377; PM6000: 867313, 867315; IBP module 862277; MP5:865024;	•	•
989803102491	CPJ84046	<a href="#">View &gt;</a>	Transducer holder	4 holders		•	•
989803102511	CPJ840J6	<a href="#">View &gt;</a>	Reusable pressure transducer, used to measure arterial and venous blood pressure Includes one transducer holder Cable length: 3 m (9.8 ft)	1 transducer		•	•
989803102521	CPJ84447	<a href="#">View &gt;</a>	IV pole mount	1 mount		•	•
989803136281	CPJ84026	<a href="#">View &gt;</a>	Monitoring line set	10 sets/bag		•	•
989803199741		<a href="#">View &gt;</a>	Dual IBP adapter	1 adapter		•	•



989803102481



989803102491



989803102511



989803102521



989803136281



989803199741

## Recording paper

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803109871	M4816A	Thermal array recorder paper, 50 mm x 20 m (2 in x 66 ft)	10 rolls	Thermal Array Recorder Module M1116C, PM6000: 867311, 867313, 867315, DFM 100: 866199	•	•
989803136891	n/a	Thermal array recorder paper, 5.8 cm x 30.5 m (2.2 in x 100 ft)	5 rolls	CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304 SureSigns: 863277, 863278, 863279; VS30: 863359, 863380	•	•



989803109871



989803136891




989803190381



## Reusable sensors


Ordering code	Alternative ordering code	Image	Description	Packaging	Use with	CE	FDA
989803144371	M1191B	<a href="#">View &gt;</a>	Reusable adult SpO <sub>2</sub> sensor, 8-pin connector Length: 2 m (6.5 ft) Patient size: > 50 kg (> 110 lb)	1 sensor	Pulse oximetry module: 862112; MMS: 866462; MP5: 865024, 865120; X3: 867030; MX40: 865350, 865351, 867146;	•	•
989803144381	M1191BL	<a href="#">View &gt;</a>	Reusable adult SpO <sub>2</sub> sensor, 8-pin connector Length: 3 m (9.8 ft) Patient size: > 50 kg (> 110 lb)	1 sensor	MX100: 867033; MMX: 867036; VS2: 863278, 863279; VSi: 863276; 863380 CM10: 863301, 863365; CM12: 863303, 863366;	•	•
989803128591	M1191T	<a href="#">View &gt;</a>	Reusable adult SpO <sub>2</sub> sensor, 9-pin (D-sub) connector Length: 0.45 m (1.5 ft) Patient size: > 50 kg (> 110 lb)	1 sensor	CM100: 863300, 863320; CM120: 863302, 863321; CM150: 863304, 863322; PM6000: 867311, 867313, 867315; FM30: 862199; FM40: 865132; FM50: 865071. Except product M1191T, M1196T: DFM100:	•	•
989803205871	M1192A	<a href="#">View &gt;</a>	Reusable pediatric/small adult finger SpO <sub>2</sub> Sensor, 8-pin connector Length: 1.5 m (4.9 ft) Patient size: 15–50 kg (33–110 lb)	1 sensor	866199	•	•
989803205881	M1193A	<a href="#">View &gt;</a>	Reusable neonatal SpO <sub>2</sub> wrap sensor, 8-pin connector Length: 1.5 m (4.9 ft) Patient size: 1-4 kg	1 sensor		•	•
989803205891	M1194A	<a href="#">View &gt;</a>	Pediatric/adult ear clip SpO <sub>2</sub> sensor, 8-pin connector Length: 1.5 m (4.9 ft) Patient size: > 40 kg (> 88 lb)	1 sensor		•	•
989803205901	M1196A	<a href="#">View &gt;</a>	Reusable adult SpO <sub>2</sub> clip sensor, 8-pin connector Length: 3 m (9.8 ft) Patient size: > 40 kg (> 88 lb)	1 sensor		•	•
989803205911	M1196T	<a href="#">View &gt;</a>	Reusable adult SpO <sub>2</sub> clip sensor, 9-pin (D-sub) connector Length: 0.90 m (2.9 ft) Patient size: >40 kg (> 88 lb)	1 sensor		•	•



989803144371  
M1191B



989803144381  
M1191BL



989803128591  
M1191T



989803205871  
M1192A



989803205881  
M1193A



989803205891  
M1194A



989803205901  
M1196A



989803205911  
M1196T



## Single-patient sensors

Ordering code	Alternative ordering code	Image	Description	Packaging	Use with	CE	FDA
989803205381		<a href="#">View &gt;</a>	Nasal Alar SpO <sub>2</sub> sensor, compatible with FAST technology	20 sensors	Pulse oximetry module: 862112; MP5: 865024, 865322, 865120; X3: 867030; MX40: 865350, 865351, 865352; MX100: 867033; MMX: 867036; FM30: 862199; FM40: 865132; FM50: 865071; PM6000: 867311, 867313, 867315	•	•
989803205391		<a href="#">View &gt;</a>	Nasal Alar SpO <sub>2</sub> sensor, compatible with FAST and Nellcor™ technologies	24 sensors	Pulse oximetry module: 862112; MP5: 865024, 865322, 865120; X3: 867030; MX40: 865350, 865351, 865352; MX100: 867033; MMX: 867036; Nellcor N-600x; Nellcor N-595; DataScope Passport 2, FM30: 862199; FM40: 865132; FM50: 865071	•	•
989803205831	M1131A	<a href="#">View &gt;</a>	Disposable adult/pediatric SpO <sub>2</sub> sensor, 9-pin (D-sub) connector Length: 45 cm (17.7 in) Patient size: > 20 kg (> 44 lb)	20 sensors	Pulse oximetry module: 862112; MP5: 865024, 865322, 865120; X3: 867030; MX40: 865350, 865351, 867146; MX100: 867033; MMX: 867036; VS2: 863278, 863279; VSi: 863276, 863277; VS30: 863380, CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300, 863320; CM120: 863302, 863321; CM150: 863304, 863322, FM30: 862199; FM40: 865132; FM50: 865071; Intrepid: 867172	•	•
989803205841	M1132A	<a href="#">View &gt;</a>	Infant disposable SpO <sub>2</sub> sensor, 9-pin (D-sub) connector Length: 0.9 m (2.9 ft) Patient sizes: Infant (finger/toe): 3-10kg (6.6-22 lb)	20 sensors	Pulse oximetry module: 862112; MP5: 865024, 865322, 865120; X3: 867030; MX100: 867033; MMX: 867036; VM1: 863264, 863265, 863266; VM4: 863063, 863085; VM6: 863064, 863065, 863086; VM8: 863066, 863068, 863087, 863088, 863317; VS2: 863278, 863279; VSi: 863276; 863277; VS30: 863359, 863380; Intrepid: 867172; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300, 863320; CM120: 863302, 863321; CM150: 863304, 863322, M1132A, Except product M1134A: Except M1133A/M1134A: 860335; FM30: 862199; FM40: 865132; FM50: 865071; MX40: 865350, 865351, 867146.	•	•
989803205851	M1133A	<a href="#">View &gt;</a>	Neonatal/infant/adult disposable SpO <sub>2</sub> sensor, 9-pin (D-sub) connector, Length: 0.90 m (2.9 ft) Patient sizes: Adult (finger): > 40 kg (> 88 lb), Neonate (foot/hand): < 3 kg (< 6.6 lb) Infant (big toe/thumb): 10–20 kg (22–44 lb)	20 sensors	Pulse oximetry module: 862112; MP5: 865024, 865322, 865120; X3: 867030; MX100: 867033; MMX: 867036; VM1: 863264, 863265, 863266; VM4: 863063, 863085; VM6: 863064, 863065, 863086; VM8: 863066, 863068, 863087, 863088, 863317; VS2: 863278, 863279; VSi: 863276; 863277; VS30: 863359, 863380; Intrepid: 867172; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300, 863320; CM120: 863302, 863321; CM150: 863304, 863322, M1132A, Except product M1134A: Except M1133A/M1134A: 860335; FM30: 862199; FM40: 865132; FM50: 865071; MX40: 865350, 865351, 867146.	•	•
989803205861	M1134A	<a href="#">View &gt;</a>	Adhesive-free neonatal/infant/adult disposable SpO <sub>2</sub> sensor, 9-pin (D-sub) connector, Length: 0.90 m (2.9 ft) Patient sizes: Adult (finger): > 40 kg (> 88 lb), Neonate (foot/hand): < 3 kg (< 6.6 lb), Infant (big toe/thumb): 10–20 kg (22–44 lb)	20 sensors	Pulse oximetry module: 862112; MP5: 865024, 865322, 865120; X3: 867030; MX100: 867033; MMX: 867036; VS2: 863278, 863279; VSi: 863276; 863277; VS30: 863359, 863380; Intrepid: 867172; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300, 863320; CM120: 863302, 863321; CM150: 863304, 863322, M1132A, Except product M1134A: Except M1133A/M1134A: 860335; FM30: 862199; FM40: 865132; FM50: 865071; MX40: 865350, 865351, 867146.	•	•



989803205381  
989803205391



989803205831  
M1131A



989803205841  
M1132A



989803205861  
989803205851  
M1133A, M1134A


## Adapter cables

### Adapter cables for Philips sensors


Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803105681	M1941A	SpO <sub>2</sub> Extension Cable (8-pin), adds additional length between 8-pin sensors and 8-pin sockets Length: 2 m (6.6 ft)	1 cable	Pulse oximetry module: 862112; MP5: 865024, 865322, 865120; X3: 867030; MX100: 867033; MMX: 867036; VM4: 863063, 863085; VM6: 863064, 863065, 863086; VM8: 863066, 863068, 863087, 863088, 863317; VS2: 863278, 863279; VSi: 863276; VS30: 863359; CM10: 863301, 863365;	•	•
989803105691	M1943A	SpO <sub>2</sub> Adapter Cable (8-pin), adapts 9-pin sensors to 8-pin sockets Length: 1.1 m (3.6 ft)	1 cable	CM12: 863303, 863366; CM100: 863300, 863320; CM120: 863302, 863321; CM150: 863304, 863322; HeartStart XL+: 861290 FM30: 862199; FM40: 865132; FM50: 865071 Except product M1941A, M1943A/AL: 863277, 865350, 865351, 867146, 867172, M2703A, M2704A, M2705A Except product M1941A only: 863310, 863311, 863276, 863359 Except product M1943A only: 863380 Except product M1943A, M1943AL, M1143AL: DFM100: 866199 Except product M1943AL: HeartStart MRx: 861288, 861289, 861464, 861482, 861491, 860396, 860397, 860398, 861465	•	•
989803128651	M1943AL	SpO <sub>2</sub> Adapter Cable (8-pin), adapts 9-pin sensors to 8-pin sockets Length: 3 m (9.8 ft)	1 cable		•	•



989803105681



989803105691



989803128651



## Adapter cables

### Medtronic Nellcor Oximax™

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803136591	M1943NL	SpO <sub>2</sub> Adapter Cable for use with Nellcor OxiMax™ SpO <sub>2</sub> sensors, 8-pin to 9-pin D-sub adapter cable, 3 m (9.8 ft)	1 cable	Nellcor Oximax™ SpO <sub>2</sub> sensors on Philips devices.	•	•



989803136591  
M1943NL

Not all products are available in all geographies. Please check with your Philips representative on portfolio availability in your geography.  
Column headers ("CE" and "FDA") only indicate country availability (i.e. CE-dependent, FDA-dependent, or non-regulated markets) and are not intended to represent FDA approval

## Adapter cables

### Masimo® rainbow® SET™ SpO<sub>2</sub> adapter cables

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803186471	n/a	rainbow® SET™ cable for rainbow, straight Length: 3.7 m (12 ft)	1 cable	Masimo® rainbow® Module: 867191; MMS: 866462; X3: 86703; MMX: 867036; MP5 865024, 865322;	•	•
989803186501	n/a	rainbow® SET™ cable for LNCS® Length: 3 m (10 ft)	1 cable		•	•
989803186531	n/a	rainbow® SET™ cable for rainbow, straight Length: 1.2 m (4 ft)	1 cable	MMS: 866462; MP5: 865024, 865322; X3: 86703; MMX: 867036; Masimo® rainbow® Module: 867191; VS30: 863359, 863380; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150; 863304, 863322	•	•



989803186471



989803186501



989803186531

## Adapter cables

Masimo® rainbow® SET™ LNCS® SpO<sub>2</sub> adapter cables

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803186501	n/a	rainbow® SET™ cable for LNCS® Length: 3 m (10 ft)	1 cable	Masimo® rainbow® Module: 867191; MMS: 866462; MMX: 867036; MP5: 865024, 865322;	•	•
989803186531	n/a	rainbow® SET™ cable for LNCS®, straight Length: 1.2 m (4 ft)	1 cable	MMS: 866462; MP5: 865024, 865322; MMX: 867036; Masimo® rainbow® Module: 867191; VS30: 863359, 863380; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304, 863322	•	•



989803186501



989803186531

## Adapter cables

Masimo® LNCS® SpO<sub>2</sub> adapter cable

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803148221	n/a	Masimo® SET™ LNCS® adapter cable, adapts LNCS® sensors to Philips monitors Length: 3 m (10 ft)	1 cable	MP5: 865024, 865322, 865120; X3: 867030; MX100: 867033; MMX: 867036; MX40: 865350, 865351; Pulse oximetry module: 862112; Masimo® SET™ Module: 867192; CM10: 863301, 863365; CM12: 863303, 863366; CM100: 863300; CM120: 863302; CM150: 863304, 863322; FM30: 862199; FM40: 865132; FM50: 865071	•	•



989803148221

## Adapter cables

Masimo® RD SET® SpO<sub>2</sub> adapter cables

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803206901	n/a	RD SET® MP-05 Philips Dual Keyed Cable; 5 ft.	1 cable	MX40: 865350, 865351, 865352; PM6000: 867311, 867313, 867315	•	•
989803206911	n/a	RD SET® MP-12 Philips Dual Keyed Cable; 12 ft.	1 cable		•	•

## Adapter cables

Masimo® RD rainbow SET® SpO<sub>2</sub> adapter cables

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803206931	n/a	RD rainbow SET® 25R – 12 Cable; 12 ft.	1 cable	MX100: 867033; X3: 867030	•	•



989803206901



989803206911



989803206931

# Continuous measurement

## Reusable probes

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803220851	n/a	Esophageal/Rectal Temp Probe, 12 FR Length: 280 cm	1 probe	MP5: 865024; CM10: 863301, 863310; CM12: 863303, 863311;	•	
989803220841	n/a	Esophageal/Rectal Temp Probe, 9 FR Length: 280 cm	1 probe	CM100: 863300, 863320; CM120: 863302, 863321; CM150: 863304, 863322;	•	
989803220831	n/a	Skin Temperature Probe, reusable Length: 280 cm	1 probe	X3: 867030; MX100: 867033; Temperature module: 862291; Hemodynamic ext.: M3012A; 867039 Capnography ext.: M3014A; 867040 Microstream™ ext.: 867041 MMX: 867036;	•	



989803220851



989803220841



989803220831

Not all products are available in all geographies. Please check with your Philips representative on portfolio availability in your geography. Column headers ("CE" and "FDA") only indicate country availability (i.e. CE-dependent, FDA-dependent, or non-regulated markets) and are not intended to represent FDA approval



## Continuous measurement

### Single Use probes and adapter cables

Ordering code	Alternative ordering code	Image	Description	Packaging	Shelflife	Use with	CE	FDA
989893222871		<a href="#">View &gt;</a>	Skin Temperature Probe, Non-Sterile, single-use Length : 75cm	20 pouches		Adapter cable: 989803221181, 989803221301	•	
989803222881		<a href="#">View &gt;</a>	Esophageal/rectal temperature probe, 9FR, non-sterile, single-use Length : 75 cm	20 pouches		Adapter cable: 989803221181, 989803221301	•	
989803222891		<a href="#">View &gt;</a>	Esophageal/rectal temperature probe, 12 FR, non-sterile, single-use Length : 75 cm	20 pouches		Adapter cable: 989803221181, 989803221301	•	
989803221181		<a href="#">View &gt;</a>	Temperature adapter cable, reusable Length: 300 cm	1 cable		X3; 867030; MX100: 867033; MMX: 867036; Hemodynamic Extension 867039, M3012A; Capnography Extension: 867040, M3014A; Microstream Extension: 867041, M3015A/B; Multi-Measurement Server/SLCP: M3001A/AL; MP5, MP5SC: M8105A, M8105AS; Temperature Parameter Module: M1029A; Patient Monitor 6100/ 6300/ 6500: 867311/ 867313/ 867315	•	
989803221301		<a href="#">View &gt;</a>	Temperature adapter cable, reusable Length : 150cm	1 cable			•	
989803220791		<a href="#">View &gt;</a>	Skin temperature probe, sterile, single-use	50 pouches	Min. 6 months	Adapter cable: 989803220821		•
989803220801		<a href="#">View &gt;</a>	Esophageal/rectal temperature probe, 9 FR, sterile, single-use	50 pouches	Min. 6 months	Adapter cable: 989803220821		•
989803220811		<a href="#">View &gt;</a>	Esophageal/rectal temperature probe, 12 FR, sterile, single-use	50 pouches	Min. 6 months	Adapter cable: 989803220821		•
989803220821		<a href="#">View &gt;</a>	Temperature adapter cable, reusable Length : 400 cm	1 cable		X3: 867030); MX100: 867033; MMX: 867036; Hemodynamic Extension: 867039, M3012A; Capnography Extension: 867040, M3014A; Microstream Extension: 867041, M3015A/B; Multi-Measurement Server/SLCP: M3001A/AL; MP5, MP5SC: M8105A, M8105AS; Temperature Parameter Module: M1029A; Patient Monitor 6100/ 6300/ 6500: 867311/ 867313/ 867315		•



989893222871



989803222881



989803222891



989803221181




989803221301



989803220791



989803220801



989803220811



989803220821

## Spot-check measurement Predictive reusable temperature probes

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803143381	n/a	Reusable oral temperature probe and well kit, predictive temp monitoring 2.7 m (9 ft)	1 probe	VS30: 863359; 863380, MP5: 865024, 865322; PM 6000: 867311, 867313, 867315	•	•
989803143391	n/a	Reusable rectal temperature probe and well kit, predictive temp monitoring 2.7 m (9 ft)	1 probe	MP5: 865024, 865322; PM 6000: 867311, 867313, 867315	•	•

## Tympanic temperature

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803220911		ri-thermo tymPRO Thermometer Probe Covers	30 racks of 10 (300 probe covers in total)	Riester Thermometer: 989803220891.	•	



989803143381



989803143391



989803220911



## Patient monitoring batteries

Ordering code	Alternative ordering code	Image	Description	Shelflife	Packaging	Use with	CE	FDA
451261017451	M4607-60001	<a href="#">View &gt;</a>	Battery charger adapter		1 adapter	X2: 865039; MP2: 865040	•	•
989803210521		<a href="#">View &gt;</a>	Rechargeable Lithium-ion battery, 10.7V 7.1Ah	4 months	1 battery	IntelliVue MP5: 865024, 865322, 865120; FM20: 862198; FM30: 862199; MX400: 866060; MX450: 866062; MX500: 866064; MX550: 866066	•	•
989803148701	M4607A	<a href="#">View &gt;</a>	Rechargeable lithium-ion battery, 10.8 volts	4 months	1 battery	X2: 865039; MP2: 865040	•	•
989803205811		<a href="#">View &gt;</a>	MX40 Lithium-ion Battery, 3 pack	2 months	3 batteries	MX40: 865350, 865351, 865352	•	•
989803174891		<a href="#">View &gt;</a>	MX40 battery adapter 3-pack, AA, disposable		3 adapters	MX40: 865350, 865351, 867146	•	•
989803205801		<a href="#">View &gt;</a>	MX40 Lithium-ion Battery, 1 pack	2 months	1 battery	MX40: 865350, 865351, 865352	•	•
989803196521		<a href="#">View &gt;</a>	X3/MX100 lithium-ion battery	4 months	1 battery	X3: 867030; MX100: 867033	•	•
989803202201			X3/MX100 battery charger adapter		1 adapter		•	•
989803199221		<a href="#">View &gt;</a>	Lithium Ion Battery Pack 9 Cells	6 months	1 battery	860354, 860355, 860429, 860437, 863359, 863380, 863300, 863301, 863302, 863303, 863304, 863320, 863365, 863321, 863366, 863322, 860306, 860310, 860315, 860332, 860352, 860353, 863282, 863359, 863379, 863380	•	•
989803206871		<a href="#">View &gt;</a>	Lithium Ion battery for PM6000 series, 6Ah 86.4Wh	5 months	1 battery	PM6000: 867311, 867313, 867315	•	
989803207731			Rechargeable Li-ion Battery, 3 pack	5 months	3 batteries	867232, 867373		•
989803208061			AA Adapter Battery Door, 3 pack		3 adapters	867232		•



451261017451  
M4607-60001



989803210521



989803148701  
M4607A



989803205811



989803174891



989803205801



989803196521



989803199221



989803206871



## Telemetry Pouches

Ordering code	Alternative ordering code	Description	Packaging	Use with	CE	FDA
989803210401		Protective Carry Pouch	50/Box	MX40: 865350, 865351, 865352, 865215 TM 5500: 867373	•	•
989803211031		Protective Carry Pouch	200/Box	MX40: 865350, 865351, 865352, 865215 TM 5500: 867373	•	•



989803210401  
989803211031

Not all products are available in all geographies. Please check with your Philips representative on portfolio availability in your geography.  
Column headers ("CE" and "FDA") only indicate country availability (i.e. CE-dependent, FDA-dependent, or non-regulated markets) and are not intended to represent FDA approval



## Patient monitors

Ordering code	Alternative ordering code	Description
863300, 863320		Efficia CM100 patient monitor
863301		Efficia CM10 patient monitor
863365		Efficia CM10 patient monitor (Brazil)
863302, 863321		Efficia CM120 patient monitor
863303		Efficia CM12 patient monitor
863366		Efficia CM12 patient monitor (Brazil)
863304, 863322		Efficia CM150 patient monitor
863359, 863380		EarlyVue VS30 vital signs monitor
865024	M8105A	Intellivue MP5 portable patient monitor
865322	M8105AS	Intellivue MP5SC spot check patient monitor
865350		Intellivue MX40 wearable patient monitor (US only), 1.4 GHz Smart-hopping
865351, 867146		Intellivue MX40 wearable patient monitor, 2.4 GHz Smart-hopping
865352		Intellivue MX40 wearable patient monitor, 802.11a/b/g
866060		IntelliVue MX400 portable/bedside monitor
866062	M3001AL	Intellivue MX450 portable/bedside patient monitor
866064		Intellivue MX500 portable/bedside monitor
866066		Intellivue MX550 portable/bedside patient monitor
866462		IntelliVue multi-measurement server SLCP
867030		IntelliVue X3 measurement module and patient monitor
867033		Intellivue MX100 patient monitor



## Patient monitors

Ordering code	Alternative ordering code	Description
867311		Patient Monitor 6100
867313		Patient Monitor 6300
867315		Patient Monitor 6500
867232		Philips Telemetry Monitor 5500 1.4 GHz
867373		Telemetry Monitor Battery Charger



## Measurement modules

Ordering code	Alternative ordering code	Description
862119	M1026B	Anesthesia gas module
862279	M1012A	Cardiac output module
866078	M1027B	IntelliVue EEG module
862277	M1006B	Invasive blood pressure module
862291	M1029A	Temperature module
865021	M1014A	IntelliVue spirometry module
865377	M3015B	Microstream™ CO <sub>2</sub> extension
865383		IntelliVue NMT module
866173		IntelliVue G7m anesthesia gas module
867039		Intellivue hemodynamic extension
867040		Capnography extension
867041		Microstream™ Extension
867191		Masimo rainbow SET™ IV module
867409		FloTrac Module



## Fetal monitors

Ordering code	Alternative ordering code	Description
862198	M2702A	Avalon FM20 fetal monitor
862199	M2703A	Avalon FM20 fetal monitor
865071	M2705A	Avalon FM50 fetal monitor
865132	M2704A	Avalon FM40 fetal monitor
867245		Avalon Toco+ MP transducer
867246		Avalon US transducer
867247		Avalon ECG/IUP transducer
867248		Avalon TOCO MP transducer
867249		Avalon Toco+ transducer
866075		Avalon Cableless Toco+ MP transducer
866076		Avalon Cableless ultrasound transducer
866077		Avalon Cableless ECG/IUP transducer



## Defibrillators

Ordering code	Alternative ordering code	Description
866199		Efficia DFM100 defibrillator/monitor
867172		Heartstart Intrepid monitor/defibrillator

Not all products are available in all geographies. Please check with your Philips representative on portfolio availability in your geography. Column headers ("CE" and "FDA") only indicate country availability (i.e. CE-dependent, FDA-dependent, or non-regulated markets) and are not intended to represent FDA approval

